

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/14/2016  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>15C0001144</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01 - COLUMBUS PAIN INSTITUTE</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R</b> <b>02/29/2016</b>
NAME OF PROVIDER OR SUPPLIER  <b>COLUMBUS PAIN INSTITUTE</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>2400 N PARK STE 20</b> <b>COLUMBUS, IN 47203</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{K 000}	<p>INITIAL COMMENTS</p> <p>A Post Survey Revisit (PSR) to the Life Safety Code Recertification survey conducted on 01/11/16 was conducted by the Indiana State Department of Health in accordance with Department of Health in accordance with 42 CFR 416.44(b).</p> <p>Survey Date: 02/29/16</p> <p>Facility Number: 004546 Provider Number: 15C0001144 AIM Number: None</p> <p>At this PSR survey, Columbus Pain Institute was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 416.44(b), Life Safety from Fire and the 2000 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 20, New Ambulatory Health Care Occupancies.</p> <p>This one story facility was determined to be of Type V (111) construction and not sprinkled. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors.</p> <p>Quality Reveiw completed on 03/03/16 - DA</p>	{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

02/29/2016

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.